Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Date of Issue: 12/05/2018

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier Product Form: Mixture

Product Name: Metal Bond Grinding Products Diamond or Cubic Boron Nitride

Product Code: Various

1.2. Intended Use of the Product

Use of the Substance/Mixture: Devices used for shaping, grinding and/or polishing.

1.3. Name, Address, and Telephone of the Responsible Party

Company

Abrasive Technology, Inc 8400 Greenwood Meadows Dr.

P.O. Box 545

Lewis Center, OH 43035

T: 740-548-4100 (8:00am - 5:00pm EST)

F: 740-548-7617

1.4. Emergency Telephone Number

Emergency Number: North America: 800-424-9300 (Chemtrec - 24 hours) Outside North America

(Collect): 703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Eye Irrit. 2	H319
Resp. Sens. 1	H334
Skin Sens. 1	H317
Carc. 1B	H350
Repr. 2	H361
STOT RE 1	H372
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)







Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US)

: H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H334 - May cause an allergy or asthma symptoms or breathing difficulties if

nhaled

H350 - May cause cancer (inhalation).

H361 - Suspected of damaging fertility or the unborn child.

H372 - Causes damage to organs (lungs) through prolonged or repeated exposure

(inhalation).

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary Statements (GHS-US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection. P284 - [In case of inadequate ventilation] wear respiratory protection.

12/05/2018 EN (English US) 1/12

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P302+P352 - If on skin: Wash with plenty of water.

P304+P341 - If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P342+P311 - If experiencing respiratory symptoms: Call a poison center or doctor.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions. Inhalation of dusts and fumes can cause metal fume fever. Symptoms can include a metallic or sweet taste in the mouth, sweating, shivering, headache, throat irritation, fever, chills, thirstiness, muscle aches, nausea, vomiting, weakness, fatigue, and shortness of breath.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	%	GHS-US classification
Copper	C.I. 77400 / C.I. Pigment Metal 2 / Copper, elemental / CI 77400 / Copper metal / Copper, metallic / Pigment Metal 2 / Granulated copper / Copper (metallic)	(CAS-No.) 7440-50-8	10 - 60	Aquatic Acute 1, H400 Aquatic Chronic 3, H412 Comb. Dust
Boron nitride (BN)	Boron nitride / BORON NITRIDE / Borazon / Boron mononitride	(CAS-No.) 10043-11-5	20 - 50	Not classified
Diamond	DIAMOND POWDER	(CAS-No.) 7782-40-3	10 - 45	Not classified
Cobalt	Cobalt metal / Cobalt, elemental / C.I. 77320 / Cobalt metallic	(CAS-No.) 7440-48-4	20 - 30	Flam. Sol. 2, H228 Eye Irrit. 2A, H319 Resp. Sens. 1B, H334 Skin Sens. 1, H317 Carc. 1B, H350 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Comb. Dust
Tin	Tin metal / Tin, elemental / Tin, metal	(CAS-No.) 7440-31-5	10 - 30	Comb. Dust
Graphite	C.I. Pigment Black 10 / C.I. 77265 / Graphite (all forms except graphite fibres)	(CAS-No.) 7782-42-5	2 - 20	Comb. Dust
Silicon carbide	Silicon carbide (SiC) / Silicon carbide, fibrous / Silicon carbide whiskers / Silicon carbide, non- fibrous	(CAS-No.) 409-21-2	5 - 10	Carc. 1B, H350 STOT RE 1, H372 Comb. Dust

12/05/2018 EN (English US) 2/12

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nickel	Nickel metal / Nickel, elemental / Nickel, metallic / Nickel, metal / C.I. 77775	(CAS-No.) 7440-02-0	2 - 10	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 Comb. Dust
Iron oxide (Fe2O3)	C.I. 77491 / C.I. Pigment Red 101 / Diiron trioxide / Ferric oxide / Iron sesquioxide / Iron(III) oxide / Red Iron Oxide / Rouge / CI 77491 / Iron trioxide / Sienna / Pigment Red 101 / Red iron oxide / Red iron oxide pigment / Iron Oxide Red / Diiron(III) trioxide / Iron oxide	(CAS-No.) 1309-37-1	2 - 5	Comb. Dust
Silver	C.I. 77820 / Silver, elemental / Silver, metal / CI 77820 / Silver metal / Silver, metallic / Nanoscale silver / Nanosilver	(CAS-No.) 7440-22-4	2 - 5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Comb. Dust

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: Using proper respiratory protection, move the exposed person to fresh air at once. Encourage exposed person to cough, spit out, and blow nose to remove dust. Immediately call a poison center, physician, or emergency medical service.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation/rash develops or persists. If exposed or concerned: Get medical advice/attention.

First-aid Measures After Eye Contact: Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Causes serious eye irritation. Skin sensitization. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause cancer (inhalation). Suspected of damaging fertility or the unborn child. Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation).

Symptoms/Injuries After Inhalation: Exposure may produce cough, mucous secretions, shortness of breath, chest tightness or other symptoms indicative of an allergic/sensitization reaction. During processing, the most significant route of exposure is by the inhalation (breathing) of dust or fumes. If fumes are inhaled, they can cause a condition commonly known as metal fume fever with symptoms which resemble influenza; Symptoms may be delayed 4-12 hours and begin with a sudden onset of thirst, and a sweet, metallic or foul taste in the mouth. Other symptoms may include upper respiratory tract irritation accompanied by coughing and a dryness of the mucous membranes, lassitude and a generalized feeling of malaise. Fever, chills, muscular pain, mild to severe headache, nausea, occasional vomiting, exaggerated mental activity, profuse sweating, excessive urination, diarrhea and prostration may also occur.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Direct contact may cause irritation by mechanical abrasion.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva. **Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

Chronic Symptoms: May cause cancer by inhalation. Suspected of damaging fertility or the unborn child. Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). Silicon: Can cause chronic bronchitis and narrowing of the airways. Chronic exposure to cobalt-containing hard metal (dust or fume) can result in a serious lung disease called "hard metal lung disease", which is a type of pneumoconiosis (lung fibrosis). Copper: Overexposure to fumes may cause metal fume fever (chills, muscle aches, nausea, fever, dry throat, cough, weakness, lassitude); metallic or sweet taste; discoloration of skin and hair. Tissue damage of mucous membranes may follow chronic dust exposure. Silver: Chronic skin contact or ingestion of silver dust, salts or fume can result in a condition known as Argyria, a condition with bluish pigmentation of the skin and eyes. Tin: Has been shown to increase incidence of sarcoma in animal tests. Chronic exposure to tin dusts and fume may result in "stannosis", a mild form of pneumoconiosis. Nickel metal powder, when respirable, is a suspected human carcinogen, and is known to cause damage to the lungs through inhalation.

12/05/2018 EN (English US) 3/12

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire. Dry sand; Class D Extinguishing Agent (for metal powder fires).

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire. Do not use water when molten material is involved, may react violently or explosively on contact with water.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: As shipped this product is not flammable, but contains substances that are flammable solids. If significant dust is generated under normal use, the dust may exhibit these characteristics.

Explosion Hazard: Product is not explosive. Contains substances that are combustible dusts. If the product is processed and dusts are generated and become dispersed with an ignition source, this may cause a combustible dust explosion. Keep dust levels to a minimum and follow applicable regulations.

Reactivity: Hazardous reactions will not occur under normal conditions. Contact with concentrated acid or alkali can result in evolution of hydrogen gas.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Do not breathe fumes from fires or vapors from decomposition. Do not disturb burning metal.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products:** Carbon oxides (CO, CO₂). Nitrogen oxides. Oxides of nickel. Metal oxides. Oxides of boron. Silicon oxides. Oxides of cobalt. Copper oxides. Oxides of silver. Tin oxides. May form nickel carbonyl under certain conditions of temperature and pressure when metallic nickel is exposed to gases that contain carbon monoxide.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid generating dust. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Avoid generation of dust during clean-up of spills.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. For particulates and dust: Use explosion proof vacuum during cleanup, with appropriate filter. Do not mix with other materials. Vacuum clean-up is preferred. If sweeping is required use a dust suppressant. Use only non-sparking tools. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

12/05/2018 EN (English US) 4/12

Safety Data Shee

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: For industrial or professional use only. Damaged product can break apart during use and cause serious injury to face or eyes. Check product for damage such as cracks or nicks prior to use, and replace if damaged. Always wear eye and face protection when working at sanding or grinding operations or when near such operations. The potential hazards of the substrate being processed should be reviewed and taken into consideration before grinding operations commence. Accumulation and dispersion of dust with an ignition source can cause a combustible dust explosion. Keep dust levels to a minimum and follow applicable regulations. Metal dust generated from this product can be flammable, use appropriate precautions.

Precautions for Safe Handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid creating or spreading dust. Avoid contact with eyes, skin and clothing. Do not breathe dust. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. When grinding, use dustless systems for handling, storage, and clean up so that airborne dust does not exceed the PEL. Use adequate ventilation and dust equipment. Practice good housekeeping. Do not permit dust to collect on walls, floors, sills, ledges, machinery, or equipment. Maintain, clean, and fit test respirators in accordance with OSHA regulations. Maintain and test ventilation and dust collection equipment. Wash or vacuum clothing which has become dusty.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Avoid creating or spreading dust. If excessive dust is generated during downstream use: Use explosion-proof electrical, ventilating, lighting equipment. Proper grounding procedures to avoid static electricity should be followed.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Store locked up/in a secure area. **Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Sulfur compounds. Methanol. Organic solvents. Aluminum. Halogenated compounds. Ammonia. Carbon monoxide. Concentrated Oxygen. Acetylene. Corrosive substances in contact with metals may produce flammable hydrogen gas.

7.3. Specific End Use(s)

Devices used for shaping, grinding and/or polishing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Silicon carbic	le (409-21-2)	
USA ACGIH	ACGIH TWA (mg/m³)	10 mg/m³ (nonfibrous, inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica) 3 mg/m³ (nonfibrous, respirable particulate matter, particulate matter containing no asbestos and <1% crystalline silica) 0.1 fibers/cm³ (as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illuminationrespirable fibers, including whiskers, length >5 μm, aspect ratio >=3:1)
USA ACGIH	ACGIH chemical category	Suspected Human Carcinogen fibrous, including whiskers
USA NIOSH	NIOSH REL (TWA) (mg/m³)	10 mg/m³ (total dust) 5 mg/m³ (respirable dust)
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)
Iron oxide (F	e2O3) (1309-37-1)	
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³ (respirable particulate matter)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³ (dust and fume)
USA IDLH	US IDLH (mg/m³)	2500 mg/m³ (dust and fume)
USA OSHA	OSHA PEL (TWA) (mg/m³)	10 mg/m³ (fume) 15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)

12/05/2018 EN (English US) 5/12

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

USA ACGIH ACGIH TWA (mg/m³) 2 mg/m³ (all forms except graphite fibers-respirable particulate matter) 2.5 mg/m² (natural-respirable dust) USA IDLH USI IDLH (mg/m²) 1250 mg/m² 15 mg/m³ (synthetic-total dust) 5 mg/m³ (synthetic-respirable fraction)	Graphite (778	32-42-5)	
US IDLH US IDLH (mg/m³) 1250 mg/m³ 15 mg/m² (synthetic-total dust) 5 mg/m³ (synthetic-total dust) 5 mg/m³ (synthetic-total dust) 5 mg/m³ (synthetic-respirable fraction)	USA ACGIH	ACGIH TWA (mg/m³)	
USA OSHA OSHA PEL (TWA) (mg/m³) 15 mg/m³ (synthetic-total dust) 5 mg/m³ (synthetic-total dust) 5 mg/m³ (synthetic-total dust) 5 mg/m³ (synthetic-total dust) 5 mg/m³ (synthetic-respirable fraction)	USA NIOSH	NIOSH REL (TWA) (mg/m³)	2.5 mg/m³ (natural-respirable dust)
Cobalt (7440-48-4) USA ACGIH ACGIH TWA (mg/m³) 0.02 mg/m³ USA ACGIH ACGIH chemical category Confirmed Animal Carcinogen with Unknown Relevance to Humans USA ACGIH ACGIH chemical category Confirmed Animal Carcinogen with Unknown Relevance to Humans USA ACGIH Biological Exposure Indices (BEI) 15 μg/l Parameter: Cobalt - Medium: urine - Sampling time: end of shift at end of workweek (nonspecific) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.05 mg/m³ (dust and fume) USA DIAL US IDLH (mg/m³) 0.1 mg/m³ (dust and fume) USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ (fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.2 mg/m³ (fume) USA OSHA US IDLH (mg/m³) 100 mg/m³ (dust, fume and mist) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (fume) USA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ (dust) USA OSHA DSI DLH (mg/m³) 0.1 mg/m³ (dust) USA OSHA DSI DLH (mg/m³) 0.1 mg/m³ (dust) USA OSHA DSI DLH (mg/m³) 0.1 mg/m³ (dust)	USA IDLH	US IDLH (mg/m³)	1250 mg/m³
Cobalt (7440-48-4) USA ACGIH ACGIH TWA (mg/m³) 0.02 mg/m³ USA ACGIH ACGIH chemical category Confirmed Animal Carcinogen with Unknown Relevance to Humans USA ACGIH ACGIH chemical category Confirmed Animal Carcinogen with Unknown Relevance to Humans USA ACGIH Biological Exposure Indices (BEI) 15 μg/l Parameter: Cobalt - Medium: urine - Sampling time: end of shift at end of workweek (nonspecific) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.05 mg/m³ (dust and fume) USA DIAL US IDLH (mg/m³) 0.1 mg/m³ (dust and fume) USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ (fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.2 mg/m³ (fume) USA OSHA US IDLH (mg/m³) 100 mg/m³ (dust, fume and mist) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (fume) USA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ (dust) USA OSHA DSI DLH (mg/m³) 0.1 mg/m³ (dust) USA OSHA DSI DLH (mg/m³) 0.1 mg/m³ (dust) USA OSHA DSI DLH (mg/m³) 0.1 mg/m³ (dust)	USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (synthetic-total dust)
USA ACGIH ACGIH TWA (mg/m³) 0.02 mg/m³ USA ACGIH ACGIH chemical category Confirmed Animal Carcinogen with Unknown Relevance to Humans USA ACGIH Biological Exposure Indices (BEI) 15 μg/l Parameter: Cobalt - Medium: urine - Sampling time: end of shift at end of workweek (nonspecific) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.05 mg/m³ (dust and fume) USA OSHA US IDLH (mg/m³) 20 mg/m³ (dust and fume) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (dust and fume) USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ (fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 1 mg/m³ (dust and mist) USA OSHA OSHA PEL (TWA) (mg/m³) 1 00 mg/m³ (dust, fume and mist) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (dust, fume and mist) Silver (7440-22-4) USA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particula			5 mg/m³ (synthetic-respirable fraction)
USA ACGIH ACGIH TWA (mg/m³) 0.02 mg/m³ USA ACGIH ACGIH chemical category Confirmed Animal Carcinogen with Unknown Relevance to Humans USA ACGIH Biological Exposure Indices (BEI) 15 μg/l Parameter: Cobalt - Medium: urine - Sampling time: end of shift at end of workweek (nonspecific) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.05 mg/m³ (dust and fume) USA OSHA US IDLH (mg/m³) 20 mg/m³ (dust and fume) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (dust and fume) USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ (fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 1 mg/m³ (dust and mist) USA OSHA OSHA PEL (TWA) (mg/m³) 1 00 mg/m³ (dust, fume and mist) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (dust, fume and mist) Silver (7440-22-4) USA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particula	Cobalt (7440-	48-4)	
USA ACGIH Biological Exposure Indices (BEI) 15 μg/I Parameter: Cobalt - Medium: urine - Sampling time: end of shift at end of workweek (nonspecific) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.05 mg/m³ (dust and fume) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (dust and fume) Copper (7440-50-8) USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ (fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 1 mg/m³ (dust and mist) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (fume) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (dust, fume and mist) Silver (7440-22-4) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ NIOSH RE			0.02 mg/m ³
USA ACGIH Biological Exposure Indices (BEI) 15 μg/I Parameter: Cobalt - Medium: urine - Sampling time: end of shift at end of workweek (nonspecific) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.05 mg/m³ (dust and fume) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (dust and fume) Copper (7440-50-8) USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ (fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 1 mg/m³ (dust and mist) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (fume) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (dust, fume and mist) Silver (7440-22-4) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ NIOSH RE	USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
USA NIOSH	USA ACGIH	Biological Exposure Indices (BEI)	
USA IDLH US IDLH (mg/m³) 20 mg/m³ (dust and fume) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (dust and fume) Copper (7440-50-8) USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ (fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 1 mg/m³ (dust and mist) USA IDLH US IDLH (mg/m³) 100 mg/m³ (fume) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (fume) USA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust and mist) Silver (7440-22-4) USA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA IDLH US IDLH (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ VISA OSHA ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 0.015 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 10 mg/m³			shift at end of workweek (nonspecific)
USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (dust and fume) Copper (7440-50-8) USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ (fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 1 mg/m³ (dust and mist) USA IDLH US IDLH (mg/m³) 100 mg/m³ (dust, fume and mist) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (fume) USA OSHA ACGIH TWA (mg/m³) 0.1 mg/m³ (dust and mist) Silver (7440-22-4) USA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA DILH US IDLH (mg/m³) 10 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ <th>USA NIOSH</th> <th></th> <th></th>	USA NIOSH		
Copper (7440-50-8) USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ (fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 1 mg/m³ (dust and mist) (0.1 mg/m³ (fume) USA IDLH US IDLH (mg/m³) 100 mg/m³ (dust, fume and mist) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (fume) (dust and mist) Silver (7440-22-4) USA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA IDLH US IDLH (mg/m³) 10 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ USA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA DILH US IDLH (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³	USA IDLH	US IDLH (mg/m³)	20 mg/m³ (dust and fume)
USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ (fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 1 mg/m³ (dust and mist) 0.1 mg/m³ (fume) 0.1 mg/m³ (dust, fume and mist) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (fume) 1 mg/m³ (dust and mist) 1 mg/m³ (dust and mist) Silver (7440-22-4) VSA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ Nickel (7440-02-0) VSA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA IDLH US IDLH (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³	USA OSHA	OSHA PEL (TWA) (mg/m³)	0.1 mg/m³ (dust and fume)
USA NIOSH NIOSH REL (TWA) (mg/m³) 1 mg/m³ (dust and mist) USA IDLH US IDLH (mg/m³) 100 mg/m³ (dust, fume and mist) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (fume) 1 mg/m³ (dust and mist) Silver (7440-22-4) USA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA IDLH US IDLH (mg/m³) 10 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ Nickel (7440-02-0) VISA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA IDLH US IDLH (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³	Copper (7440)-50-8)	
USA IDLH US IDLH (mg/m³) 100 mg/m³ (dust, fume and mist)	USA ACGIH	ACGIH TWA (mg/m³)	0.2 mg/m³ (fume)
USA IDLH US IDLH (mg/m³) 100 mg/m³ (dust, fume and mist) USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (fume) 1 mg/m³ (dust and mist) Silver (7440-22-4) USA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ VISA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA IDLH US IDLH (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ Tin (7440-31-5)	USA NIOSH	NIOSH REL (TWA) (mg/m³)	1 mg/m³ (dust and mist)
USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ (fume) 1 mg/m³ (dust and mist) Silver (7440-22-4) USA ACGIH ACGIH TWA (mg/m³) O.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) O.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 10 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) Nickel (7440-02-0) USA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) O.015 mg/m³ USA IDLH US IDLH (mg/m³) 10 mg/m³ Tin (7440-31-5)			0.1 mg/m³ (fume)
Silver (7440-22-4) USA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 10 mg/m³ (dust) USA ACGIH ACGIH TWA (mg/m³) 0.01 mg/m³ Nickel (7440-02-0) USA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH Chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA IDLH US IDLH (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ Tin (7440-31-5)	USA IDLH	US IDLH (mg/m³)	
Silver (7440-22-4) USA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA IDLH US IDLH (mg/m³) 10 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ Nickel (7440-02-0) USA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA IDLH US IDLH (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ Tin (7440-31-5)	USA OSHA	OSHA PEL (TWA) (mg/m³)	
USA ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ (dust and fume) USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA IDLH US IDLH (mg/m³) 10 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ Nickel (7440-02-0) USA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA IDLH US IDLH (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ Tin (7440-31-5)			1 mg/m³ (dust and mist)
USA NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust) USA IDLH US IDLH (mg/m³) 10 mg/m³ (dust) USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ Nickel (7440-02-0) USA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA IDLH US IDLH (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ Tin (7440-31-5)	Silver (7440-2	22-4)	
USA IDLHUS IDLH (mg/m³)10 mg/m³ (dust)USA OSHAOSHA PEL (TWA) (mg/m³)0.01 mg/m³Nickel (7440-02-0)USA ACGIHACGIH TWA (mg/m³)1.5 mg/m³ (inhalable particulate matter)USA ACGIHACGIH chemical categoryNot Suspected as a Human CarcinogenUSA NIOSHNIOSH REL (TWA) (mg/m³)0.015 mg/m³USA IDLHUS IDLH (mg/m³)10 mg/m³USA OSHAOSHA PEL (TWA) (mg/m³)1 mg/m³Tin (7440-31-5)	USA ACGIH	ACGIH TWA (mg/m³)	0.1 mg/m³ (dust and fume)
USA OSHA OSHA PEL (TWA) (mg/m³) 0.01 mg/m³ Nickel (7440-02-0) USA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA IDLH US IDLH (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ Tin (7440-31-5)	USA NIOSH		
Nickel (7440-02-0) USA ACGIH ACGIH TWA (mg/m³) 1.5 mg/m³ (inhalable particulate matter) USA ACGIH ACGIH chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA IDLH US IDLH (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ Tin (7440-31-5)	USA IDLH	US IDLH (mg/m³)	10 mg/m³ (dust)
USA ACGIHACGIH TWA (mg/m³)1.5 mg/m³ (inhalable particulate matter)USA ACGIHACGIH chemical categoryNot Suspected as a Human CarcinogenUSA NIOSHNIOSH REL (TWA) (mg/m³)0.015 mg/m³USA IDLHUS IDLH (mg/m³)10 mg/m³USA OSHAOSHA PEL (TWA) (mg/m³)1 mg/m³Tin (7440-31-5)	USA OSHA	OSHA PEL (TWA) (mg/m³)	0.01 mg/m ³
USA ACGIH ACGIH chemical category Not Suspected as a Human Carcinogen USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA IDLH US IDLH (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ Tin (7440-31-5)	Nickel (7440-	02-0)	
USA NIOSH NIOSH REL (TWA) (mg/m³) 0.015 mg/m³ USA IDLH US IDLH (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ Tin (7440-31-5) Tin (7440-31-5)	USA ACGIH	ACGIH TWA (mg/m³)	1.5 mg/m³ (inhalable particulate matter)
USA IDLH US IDLH (mg/m³) 10 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ Tin (7440-31-5) 1 mg/m³	USA ACGIH	ACGIH chemical category	
USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ Tin (7440-31-5) 1 mg/m³	USA NIOSH	, , , , ,	5 .
Tin (7440-31-5)	USA IDLH	, ,	
·	USA OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m³
USA ACGIH ACGIH TWA (mg/m³) 2 mg/m³	Tin (7440-31-	5)	
	USA ACGIH	ACGIH TWA (mg/m³)	2 mg/m³
USA NIOSH NIOSH REL (TWA) (mg/m³) 2 mg/m³	USA NIOSH	NIOSH REL (TWA) (mg/m³)	2 mg/m³
USA IDLH US IDLH (mg/m³) 100 mg/m³	USA IDLH	US IDLH (mg/m³)	100 mg/m ³

8.2. Exposure Controls

Appropriate Engineering Controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Avoid creating or spreading dust. For particulates and dust: Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Use local exhaust or general dilution ventilation or other suppression methods to maintain dust levels below exposure limits. Power equipment should be equipped with proper dust collection devices. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure all national/local regulations are observed.

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection. Face shield.











12/05/2018 EN (English US) 6/12

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Materials for Protective Clothing : Chemically resistant materials and fabrics.

Hand Protection : Wear protective gloves.Eye and Face Protection : Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory

protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Environmental Exposure Controls : Avoid release to the environment.

Other Information : When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State : Solid

: Solid metal or resin **Appearance** Odor No data available **Odor Threshold** : No data available : No data available pН **Evaporation Rate** No data available **Melting Point** : No data available **Freezing Point** : No data available : No data available **Boiling Point Flash Point** : No data available **Auto-ignition Temperature** No data available **Decomposition Temperature** : No data available Flammability (solid, gas) : No data available **Vapor Pressure** : No data available Relative Vapor Density at 20°C : No data available **Relative Density** No data available Solubility : Water: Insoluble **Partition Coefficient: N-Octanol/Water** : No data available Viscosity : No data available

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity:** Hazardous reactions will not occur under normal conditions. Contact with concentrated acid or alkali can result in evolution of hydrogen gas.
- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- **10.3.** Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4. Conditions to Avoid:** Extremely high or low temperatures and incompatible materials. Dust accumulation (to minimize explosion hazard).
- **10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Sulfur compounds. Methanol. Organic solvents. Aluminum. Halogenated compounds. Ammonia. Carbon monoxide. Concentrated Oxygen. Acetylene. Corrosive substances in contact with metals may produce flammable hydrogen gas.
- **10.6. Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: Metal oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity: Not classified

Boron nitride (BN) (10043-11-5)		
LD50 Oral Rat	> 5000 mg/kg body weight	
LC50 Inhalation Rat	> 5 mg/l/4h	
Iron oxide (Fe2O3) (1309-37-1)		
LD50 Oral Rat	> 10000 mg/kg	
Cobalt (7440-48-4)		

12/05/2018 EN (English US) 7/12

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 Oral Rat	6171 mg/kg	
LC50 Inhalation Rat	> 10 mg/l (Exposure time: 1 h)	
Silver (7440-22-4)		
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rat	> 2000 mg/kg	
Nickel (7440-02-0)		
LD50 Oral Rat	> 9000 mg/kg	
LC50 Inhalation Rat	> 10.2 mg/l (Exposure time: 1 h)	

Skin Corrosion/Irritation: Not classified

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: May cause an allergy or asthma symptoms or breathing difficulties if inhaled. May cause an

allergic skin reaction.

Germ Cell Mutagenicity: Not classified **Carcinogenicity:** May cause cancer.

Silicon carbide (409-21-2)		
IARC group	2A	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
Iron oxide (Fe2O3) (1309-37-1)		
IARC group	3	
Cobalt (7440-48-4)		
IARC group	2B	
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity, Reasonably anticipated to be Human	
	Carcinogen.	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
Nickel (7440-02-0)		
IARC group	2B	
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen.	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure): Not classified

Specific Target Organ Toxicity (Repeated Exposure): Causes damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Exposure may produce cough, mucous secretions, shortness of breath, chest tightness or other symptoms indicative of an allergic/sensitization reaction. During processing, the most significant route of exposure is by the inhalation (breathing) of dust or fumes. If fumes are inhaled, they can cause a condition commonly known as metal fume fever with symptoms which resemble influenza; Symptoms may be delayed 4-12 hours and begin with a sudden onset of thirst, and a sweet, metallic or foul taste in the mouth. Other symptoms may include upper respiratory tract irritation accompanied by coughing and a dryness of the mucous membranes, lassitude and a generalized feeling of malaise. Fever, chills, muscular pain, mild to severe headache, nausea, occasional vomiting, exaggerated mental activity, profuse sweating, excessive urination, diarrhea and prostration may also occur.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Direct contact may cause irritation by mechanical abrasion.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva. **Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

Chronic Symptoms: May cause cancer by inhalation. Suspected of damaging fertility or the unborn child. Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). Silicon: Can cause chronic bronchitis and narrowing of the airways. Chronic exposure to cobalt-containing hard metal (dust or fume) can result in a serious lung disease called "hard metal lung disease", which is a type of pneumoconiosis (lung fibrosis). Copper: Overexposure to fumes may cause metal fume fever (chills, muscle aches, nausea, fever, dry throat, cough, weakness, lassitude); metallic or sweet taste; discoloration of skin and hair. Tissue damage of mucous membranes may follow chronic dust exposure. Silver: Chronic skin contact or ingestion of silver dust, salts or fume can result in a condition known as Argyria, a condition with bluish pigmentation of the skin and eyes. Tin: Has been shown to increase incidence of sarcoma in animal tests. Chronic exposure to tin dusts and fume may result in "stannosis", a mild form of pneumoconiosis. Nickel metal powder, when respirable, is a suspected human carcinogen, and is known to cause damage to the lungs through inhalation.

12/05/2018 EN (English US) 8/12

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : For particulates and dust: Very toxic to aquatic life with long lasting effects.

Ecology General	. To purificulates and dust. Very toxic to adducte me with long lasting effects.
Cobalt (7440-48-4)	
LC50 Fish 1	> 100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
Copper (7440-50-8)	
LC50 Fish 1	0.0068 - 0.0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	0.03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 Other Aquatic Organisms 1	0.0426 (0.0426 - 0.0535) mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata [static])
LC50 Fish 2	< 0.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Other Aquatic Organisms 2	0.031 (0.031 - 0.054) mg/l (Exposure time: 96 h - Species: Pseudokirchneriella
	subcapitata [static])
Silver (7440-22-4)	
LC50 Fish 1	0.00155 (0.00155 - 0.00293) mg/l (Exposure time: 96 h - Species: Pimephales
	promelas [static])
EC50 Daphnia 1	0.00024 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 Fish 2	0.0062 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
Nickel (7440-02-0)	
LC50 Fish 1	100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
EC50 Daphnia 1	121.6 μg/l (Exposure time: 48h - Species: Ceriodaphnia dubia [static])
LC50 Fish 2	15.3 mg/l
EC50 Daphnia 2	1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 Other Aquatic Organisms 2	0.174 (0.174 - 0.311) mg/l (Exposure time: 96 h - Species: Pseudokirchneriella
	subcapitata [static])

12.2. Persistence and Degradability

Metal Bond Grinding Products Diamond or Cubic Boron Nitride		
Persistence and Degradability May cause long-term adverse effects in the environment.		
Copper (7440-50-8)		
Persistence and Degradability	Not readily biodegradable.	

12.3. Bioaccumulative Potential

Metal Bond Grinding Products Diamond or Cubic Boron Nitride	
Bioaccumulative Potential Not established.	
Cobalt (7440-48-4)	
BCF Fish 1	(no bioaccumulation)

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

12/05/2018 EN (English US) 9/12

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.1. In Accordance with DOT Not regulated for transport14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Metal Bond Grinding Products Diamond or Cubic Boron Nitride		
<u>-</u>	ealth hazard - Carcinogenicity ealth hazard - Reproductive toxicity	
	ealth hazard - Reproductive toxicity ealth hazard - Specific target organ toxicity (single or repeated exposure)	
	ealth hazard - Specific target organ toxicity (single of repeated exposure)	
	ealth hazard - Respiratory of Skill Sensitization	
	earth hazard - Serious eye damage of eye initation	
Diamond (7782-40-3)	tral Act) inventory	
Listed on the United States TSCA (Toxic Substances Con	troi Act) inventory	
Boron nitride (BN) (10043-11-5)		
Listed on the United States TSCA (Toxic Substances Con	trol Act) inventory	
Silicon carbide (409-21-2)		
Listed on the United States TSCA (Toxic Substances Con	trol Act) inventory	
Iron oxide (Fe2O3) (1309-37-1)		
Listed on the United States TSCA (Toxic Substances Con	trol Act) inventory	
Graphite (7782-42-5)		
Listed on the United States TSCA (Toxic Substances Con	trol Act) inventory	
Cobalt (7440-48-4)		
Listed on the United States TSCA (Toxic Substances Con	,	
Subject to reporting requirements of United States SARA	A Section 313	
SARA Section 313 - Emission Reporting 0.1 %		
Copper (7440-50-8)		
Listed on the United States TSCA (Toxic Substances Con	trol Act) inventory	
Subject to reporting requirements of United States SAR	A Section 313	
CERCLA RQ	5000 lb no reporting of releases of this hazardous substance is	
	required if the diameter of the pieces of the solid metal released is	
	>100 μm	
SARA Section 313 - Emission Reporting	1 %	
Silver (7440-22-4)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	1000 lb < 100 um CERCLA/SARA RQ CHANGE TITLE	
SARA Section 313 - Emission Reporting	1 %	
Nickel (7440-02-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	100 lb (only applicable if particles are < 100 μm)	
SARA Section 313 - Emission Reporting 0.1 %		
Tin (7440-31-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
15.2. US State Regulations		

15.2. US State Regulations

Silicon carbide (409-21-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Iron oxide (Fe2O3) (1309-37-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

12/05/2018 EN (English US) 10/12

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Graphite (7782-42-5)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Cobalt (7440-48-4)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Copper (7440-50-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Silver (7440-22-4)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Nickel (7440-02-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) Special Hazardous Substances
- U.S. Pennsylvania RTK (Right to Know) List

Tin (7440-31-5)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

California Proposition 65



WARNING: This product can expose you to Cobalt, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Cobalt (7440-48-4)	Х			
Nickel (7440-02-0)	X			

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision

: 12/05/2018

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

GHS Full Text Phrases:

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3	
Carc. 1B	Carcinogenicity Category 1B	
Carc. 2	Carcinogenicity Category 2	
Comb. Dust	Combustible Dust	
Eye Irrit. 2	Serious eye damage/eye irritation Category 2	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Flam. Sol. 2	Flammable solids Category 2	
Repr. 2	Reproductive toxicity Category 2	
Resp. Sens. 1	Respiratory sensitization, Category 1	

12/05/2018 EN (English US) 11/12

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Danie Carra AD	Description of a situation Cotton and AD	
Resp. Sens. 1B	Respiratory sensitization, Category 1B	
Skin Sens. 1	Skin sensitization, Category 1	
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1	
H228	Flammable solid	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H334	May cause an allergy or asthma symptoms or breathing difficulties if inhaled	
H350	May cause cancer	
H351	Suspected of causing cancer	
H361	Suspected of damaging fertility or the unborn child	
H372	Causes damage to organs through prolonged or repeated exposure	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

NFPA Health Hazard

: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA Fire Hazard

: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA Reactivity Hazard

: 0 - Material that in themselves are normally stable,

even under fire conditions.

HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

* Chronic - Chronic (long-term) health effects may result from repeated

overexposure

Flammability : 0 Minimal Hazard
Physical : 0 Minimal Hazard

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

12/05/2018 EN (English US) 12/12